

MATERIAL SAFETY DATA SHEET

Pharmaceutical Research Laboratories Inc. • 562 Captain Neville Drive, Waterbury CT 06705
(203) 755-4908 • 800-243-5350 • FAX (203) 755-4309
www.pharmaceutical.com

Revised Date: 03/12/2012

(1) IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

PRODUCT: VIRKON-S EPA REG # 62432-1

IMPORTER: Pharmaceutical Research Laboratories

562 Captain Neville Drive Waterbury CT 06705

Tel: 800-243-5350

Virkon is the trade name of a disinfectant active against viruses, bacteria, and fungi pathogenic to animals and poultry. It is composed of peroxygen compounds, organic acids, surfactant and buffer.

The information provided in this Material Safety Data Sheet refers to the Virkon S in-use solutions, unless otherwise stated.

SECTION 1 - MANUFACTURING INFORMATION

Product is manufactured by DuPont Chemical Solutions Enterprise, 1007 Market Street, Wilmington, DE 19898

SECTION 2 - COMPOSITION INFORMATION

Active Ingredients

Potassium peroxymonosulfate (CAS # 70693-62-8).....1%

Water99%

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point Decomposes on Heating

Vapor Pressure Not Applicable

Vapor Density Not Applicable

Evaporation Rate Not Applicable

Solubility in Water Freely soluble in warm water
approximately 65g/l at 20°C (68°F)

Specific Gravity 1.07

Melting Point Not Applicable

Appearance Yellow liquid

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point Not Applicable

Flammable Limits Not Applicable

Extinguishing Media Water, Dry Powder, CO₂

Special Fire Fighting Procedures Wear self-contained
breathing apparatus SCUBA
and full protective
equipment.

MATERIAL SAFETY DATA SHEET

Pharmaceutical Research Laboratories Inc. • 562 Captain Neville Drive, Waterbury CT 06705
(203) 755-4908 • 800-243-5350 • FAX (203) 755-4309
www.pharmaceutical.com

SECTION 5 - HEALTH - HAZARD DATA

Acute Dermal Toxicity:

Powder: LD₅₀ greater than 2.0g/kg in rabbits.

Acute Oral Toxicity:

Powder: LD₅₀ of 1.70g/kg in male rats and 1.16g/kg in female rats.

Dilution: LD₅ of 4123 mg/kg in male and female rats. This is considered to be slightly toxic (LD₅ 500-5000mg/kg).

Acute Inhalation Toxicity:

Powder: LC₅₀ greater than 6.147mg/l of air over 4 hours in male and female rats.

Dilution: LC₅₀ @ 4 hour exposure is greater than 6 mg/l (by analytical determination).

Test article was calculated at a 5% w/w dilution.

Guinea Pig Dermal Sensitization:

Powder does not appear to be a primary skin irritant, fatiguing agent or skin sensitizer.

Dilution: No risk phrase is required for VIRKON 1% solution in respect to its skin sensitization potential. Does not appear to be a primary skin irritant.

Primary Skin Irritation: The **powder** is corrosive to the skin of rabbits with an irritation index of 7.00. A dilution of 5% results in an irritation index of 0.08 in rabbits.

Primary Eye Irritation: The **powder** is corrosive to rabbits` eyes. A dilution of 5% produces conjunctival irritation.

Effects of Overexposure: Inhalation of dust may cause choking, coughing or wheezing. **A 1% solution is normally non-irritating.**

Emergency First Aid

Hazards To Humans and Domestic Animals - Danger, powder is corrosive. Causes skin burns and irreversible eye damage. Harmful if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Wear protective clothing and rubber gloves. Avoid breathing dust. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Corrosive statement refers to powder only, not in –use solution.

Practical Treatment:

If in **eyes**, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get prompt medical attention. If on **skin**, wash with plenty of soap and water. Get medical attention if irritation persists.

If **inhaled** intervention is indicated as the compound is not likely to be hazardous by inhalation. Consult physician if necessary.

If **swallowed**, do not induce vomiting. **DO NOT GIVE ANYTHING TO DRINK.** Call a physician immediately. Never give anything by mouth to an unconscious person.

MATERIAL SAFETY DATA SHEET

Pharmacal Research Laboratories Inc. • 562 Captain Neville Drive, Waterbury CT 06705
(203) 755-4908 • 800-243-5350 • FAX (203) 755-4309
www.pharmacal.com

Notice to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 6 - REACTIVITY DATA

Stability: Solution is stable for 7 days @ normal temperatures and storage conditions

Conditions To Avoid: Moisture, direct sunlight and excessive heat.

Incompatibilities: Avoid alkaline materials.

Hazardous Decomposition Products: Releases sulfur dioxide gas and chlorine upon heating above 70°C (158°F)

SECTION 7 - SPILL OR LEAK PROCEDURE

Contain spilled material. Neutralize and then dispose of material in accordance with all Federal, State, and Local Regulations.

CHEMICAL NEUTRALIZATION:

Treating Virkon S 1% with an alkali will expedite the degradation of the oxidizing system, and neutralize the acidity. By adding Sodium Bicarbonate at a rate of 30g per liter of Virkon S 1% solution, the pH will raise to approximately 7.6, which is most beneficial when considering neutralization. This equates to 114 grams or 4 ounces of Sodium Bicarbonate per 1 US gallon of Virkon S 1:100 (1%) solution.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection Dust/Mist Respirator N95 3M # 8210
Protective Clothing PVC Gloves, Goggles
NFPA HMIS
Health-1 Fire-0 Reac- 0

SECTION 9- TRANSPORTATION INFORMATION

TRANSPORTATION INCIDENT INFORMATION:

NOT TRANSPORTED IN THIS FORM

DOT IDENTIFICATION NUMBER:

N/A

SHIPPING DESCRIPTION:

NOT TRANSPORTED IN THIS FORM

The information contained in this MSDS is, to the best of Antec International's and Pharmacal Research Laboratories's knowledge, complete and accurate.

VIRKON-S DILUTION

PAGE 3 of 4

Dupont uses many sources and references for gathering this information. Thus Dupont and Pharmacal Research Laboratories cannot guarantee completeness or accuracy and disclaims all liability for its handling and use.