

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

### 1. Identification

#### 1.1. Product identifier

**Product Identity** CAGEWASH CT

**Alternate Names** CAGEWASH CT

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.

**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Pharmacal Research Labs., Inc.  
562 Captain Neville Dr.  
Waterbury, CT 06705, USA

#### 24 hour Emergency Telephone No.:

**CHEMTREC (USA)** (800) 424-9300

**IN CANADA CALL CANUTEC** (613) 996-6666

**Customer Service: Pharmacal Research Labs., Inc.** 203-755-4908, (800)-243-5350

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Warning**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### **[Prevention]:**

P264 Wash thoroughly after handling.

# Safety Data Sheet CAGEWASH CT



SDS Revision Date:

03/03/2015

P280 Wear protective gloves / eye protection / face protection.

**[Response]:**

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

**[Storage]:**

No GHS storage statements

**[Disposal]:**

Dispose of contents/container in accordance with local/national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
pentasodium triphosphate CAS Number: 0007758-29-4	1.0 - 10	Not Classified	[1]
Sodium carbonate CAS Number: 0000497-19-8	1.0 - 10	Eye Irrit. 2;H319	[1]
Disodium metasilicate CAS Number: 0006834-92-0	1.0 - 10	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
Tetrasodium EDTA CAS Number: 0000064-02-8	1.0 - 10	Acute Tox. 4;H302 Eye Dam. 1;H318	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

**General**

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

**Inhalation**

Move to fresh air.  
Consult a physician if irritation of respiratory passages occur.

**Eyes**

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.  
Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.  
Call a poison control center or doctor for treatment advice.

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

**Skin** Take off contaminated clothing.  
Rinse skin immediately with plenty of water for 15 - 20 minutes.  
Call a poison control center or doctor for treatment advice.

**Ingestion** Call a poison control center or doctor for treatment advice.  
Have person drink large quantities of water or fruit juice.  
Do not give anything by mouth to an unconscious person.  
Induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** **EFFECTS OF OVEREXPOSURE / SIGNS AND SYMPTOMS OF EXPOSURE:**  
Contact with concentrated material may cause eye irritation, redness, swelling or cornea clouding.  
Oral- may cause gastric upset, pain, diarrhea, or lethargy.  
See section 2 for further details.

**Eyes** Causes serious eye irritation.

**Skin** Causes skin irritation.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use media appropriate for surrounding area.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Hydrogen chloride and chlorine. Chlorine gas rate of decomposition increases with the concentration with temperatures above 85 degrees F (30C).

#### 5.3. Advice for fire-fighters

Use full protective clothing and self-contained breathing apparatus. This product may be corrosive to human tissue. Extinguishing media should be suitable for surrounding fire.  
Cool drum with water.

**ERG Guide No.** ----

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

**Protective clothing and equipment must be worn.** Contain spill or leakage in suitable container or holding area. Neutralize and dispose of in accordance with federal, state, and local regulations.

**“EMPTY” CONTAINER WARNINGS:** Do not reuse empty container. Triple rinse with water - dispose of in conformance with federal, state, and local regulations.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Keep in well ventilated area - store above 10°C (50°F). Use goggles or face shield, rubber gloves, and boots where contact is expected.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

Keep out of reach of children.

For professional use only.

Do not mix with any other chemicals unless compatibility has been established by the manufacturer.

## 8. Exposure controls and personal protection

### 8.1. Control parameters

CAS No.	Ingredient	Exposure	
		Source	Value
0000064-02-8	Tetrasodium EDTA	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0000497-19-8	Sodium carbonate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

# Safety Data Sheet CAGEWASH CT



SDS Revision Date:

03/03/2015

0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	ACHAN TLV/OSHA 2mg/m <sup>3</sup> PEL 2mg/m <sup>3</sup>
0007758-29-4	pentasodium triphosphate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000064-02-8	Tetrasodium EDTA	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0000497-19-8	Sodium carbonate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0006834-92-0	Disodium metasilicate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0007758-29-4	pentasodium triphosphate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

## 8.2. Exposure controls

### Respiratory

Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when concentrations exceed permissible exposure limits.

### Eyes

Chemical Splash goggles or faceshield

### Skin

Chemical resistant clothing such as coveralls/apron and boots should be worn. Chemical impervious gloves required.

### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

### 9. Physical and chemical properties

Appearance	Yellow Liquid
Odor	Not Measured
Odor threshold	Not Measured
pH	12.0
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	Non Flammable
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	1.13
Solubility in Water	Soluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured

#### 9.2. Other information

Physical properties are approximate or typical values and should not be used for precise design purposes.

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid contact with strong acids

#### 10.5. Incompatible materials

Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

### 10.6. Hazardous decomposition products

Hydrogen chloride and chlorine. Chlorine gas rate of decomposition increases with the concentration with temperatures above 85 degrees F (30C).

## 11. Toxicological information

### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
pentasodium triphosphate - (7758-29-4)	3,120.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Sodium carbonate - (497-19-8)	4,090.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Disodium metasilicate - (6834-92-0)	1,153.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Tetrasodium EDTA - (64-02-8)	1,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

Aspiration hazard	---	Not Applicable
-------------------	-----	----------------

## 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
pentasodium triphosphate - (7758-29-4)	Not Available	Not Available	Not Available
Sodium carbonate - (497-19-8)	300.00, Lepomis macrochirus	265.00, Daphnia magna	242.00 (72 hr), Freshwater Algae
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
Tetrasodium EDTA - (64-02-8)	486.00, Lepomis macrochirus	610.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated



# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

<b>14.2. UN proper shipping name</b>	Liquid Cleaning Compound	Liquid Cleaning Compound	Liquid Cleaning Compound
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>DOT Label:</b> ---	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>14.5. Environmental hazards</b>			
<b>IMDG</b>	Marine Pollutant: No		
<b>14.6. Special precautions for user</b>	No further information		

## 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act (TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>WHMIS Classification</b>	D2B E
<b>US EPA Tier II Hazards</b>	<b>Fire:</b> No <b>Sudden Release of Pressure:</b> No <b>Reactive:</b> No <b>Immediate (Acute):</b> Yes <b>Delayed (Chronic):</b> No

### EPCRA 311/312 Chemicals and RQs (lbs):

pentasodium triphosphate ( 5,000.00)

### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

Methanol

### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### N.J. RTK Substances (>1%) :

# Safety Data Sheet

## CAGEWASH CT



SDS Revision Date:

03/03/2015

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **Penn RTK Substances (>1%):**

pentasodium triphosphate

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

The information and recommendations contained herein are, to the best of Pharmacal's knowledge and belief, accurate and reliable as of the date issued. Pharmacal does not warrant or guarantee their accuracy or reliability, and Pharmacal shall not be liable for any loss or damage arising out of their use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.

The hazardous materials identification system (HMIS) and national fire protection association ratings have been included by Pharmacal research laboratories INC. In order to provide additional health and hazard information. The ratings recommended are based upon criteria supplied by the developers of these rating systems, together with Pharmacal's interpretation of the available data.

End of Document