

# Safety Data Sheet

## BIO-DET 750

SDS Revision Date:

07/12/2022



### 1. Identification

#### 1.1. Product identifier

**Product Identity** BIO-DET 750

**Alternate Names** BIO-DET 750

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** Cage and rack washing compound

**Application Method**

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Pharmacal Research Labs., Inc.  
562 Captain Neville Dr.  
Waterbury, CT 06705, USA

#### 24 hour Emergency Telephone No.:

**CHEMTREC (USA)** (800) 424-9300

**IN CANADA CALL CANUTEC** (613) 996-6666

**Customer Service: Pharmacal Research Labs., Inc.** 203-755-4908, (800)-243-5350

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Dam. 1;H318 Causes serious eye damage.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Danger**

H315 Causes skin irritation.

H318 Causes serious eye damage.

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

### [Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

### [Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P321 Specific treatment (see information on this label).

P362 Take off contaminated clothing and wash before reuse.

### [Storage]:

No GHS storage statements

### [Disposal]:

Dispose of contents/container in accordance with local/national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Disodium metasilicate CAS Number: 0006834-92-0	1.0 - 10	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
proprietary surfactant CAS Number: Proprietary	1.0 - 10	Eye Dam. 1;H318	[1]
Alkoxylated alcohol CAS Number: Proprietary	1.0 - 10	Eye Dam. 1;H318 Aquatic Acute 2;H401	[1]
Tetrasodium EDTA CAS Number: 0000064-02-8	1.0 - 10	Acute Tox. 4;H302 Eye Dam. 1;H318	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

#### Inhalation

Move to fresh air.

Consult a physician if irritation of respiratory passages occur.

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

<b>Eyes</b>	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
<b>Ingestion</b>	Call a poison control center or doctor for treatment advice. Have person drink large quantities of water or fruit juice. Do not give anything by mouth to an unconscious person. DO NOT Induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	<b>EFFECTS OF OVEREXPOSURE / SIGNS AND SYMPTOMS OF EXPOSURE:</b> Contact with concentrated material may cause eye irritation, redness, swelling or cornea clouding. Oral- may cause gastric upset, pain, diarrhea, or lethargy. See section 2 for further details.
<b>Eyes</b>	Causes serious eye damage.
<b>Skin</b>	Causes skin irritation.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use media appropriate for surrounding area.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Hydrogen chloride and chlorine. Chlorine gas rate of decomposition increases with the concentration with temperatures above 85 degrees F (30C).

#### 5.3. Advice for fire-fighters

Use full protective clothing and self-contained breathing apparatus. This product may be corrosive to human tissue. Cool drums with water.

**ERG Guide No.** ----

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

### 6.3. Methods and material for containment and cleaning up

**Protective clothing and equipment must be worn.** Contain spill or leakage in suitable container or holding area. Neutralize and dispose of in accordance with federal, state, and local regulations.

**“EMPTY” CONTAINER WARNINGS:** Do not reuse empty container. Triple rinse with water - dispose of in conformance with federal, state, and local regulations.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Keep in well ventilated area - store above 10°C (50°F). Use goggles or face shield, rubber gloves, and boots where contact is expected.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

Keep out of reach of children.

For professional use only.

Do not mix with any other chemicals unless compatibility has been established by the manufacturer.

## 8. Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0000064-02-8	Tetrasodium EDTA	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	ACHAN TLV/OSHA 2mg/m <sup>3</sup> PEL 2mg/m <sup>3</sup>
Proprietary	proprietary surfactant	OSHA	No Established Limit

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
Proprietary	Alkoxylated alcohol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000064-02-8	Tetrasodium EDTA	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0006834-92-0	Disodium metasilicate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	proprietary surfactant	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Alkoxylated alcohol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

### 8.2. Exposure controls

#### Respiratory

For spray or mist use NIOSH approved respirator.

#### Eyes

Chemical Splash goggles or faceshield

#### Skin

A rubber apron and boots are recommended to minimize contact. Protective gloves: Rubber, Latex, Nitrile.

#### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

#### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

# Safety Data Sheet

## BIO-DET 750

SDS Revision Date:

07/12/2022



<b>Appearance</b>	Clear Amber Liquid
<b>Odor</b>	Not Measured
<b>Odor threshold</b>	Not Measured
<b>pH</b>	11.7
<b>Melting point / freezing point</b>	Not Measured
<b>Initial boiling point and boiling range</b>	Not Measured
<b>Flash Point</b>	Non Flammable
<b>Evaporation rate (Ether = 1)</b>	Not Measured
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
<b>Vapor pressure (Pa)</b>	Not Measured
<b>Vapor Density</b>	Not Measured
<b>Specific Gravity</b>	1.070
<b>Solubility in Water</b>	Soluble (@1 ATM and 25C)
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	Not Measured
<b>Viscosity (cSt)</b>	Not Measured

### 9.2. Other information

Physical property data is approximate or typical values and should not be used for precise design purposes.

## 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid contact with strong acids

### 10.5. Incompatible materials

Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

### 10.6. Hazardous decomposition products

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

Hydrogen chloride and chlorine. Chlorine gas rate of decomposition increases with the concentration with temperatures above 85 degrees F (30C).

### 11. Toxicological information

#### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Disodium metasilicate - (6834-92-0)	1,153.00, Rat - Category: 4	No data available	No data available	No data available	No data available
proprietary surfactant - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Alkoxylated alcohol - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Tetrasodium EDTA - (64-02-8)	1,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

### 12. Ecological information

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

### 12.1. Toxicity

Harmful to aquatic life.

#### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
proprietary surfactant - (Proprietary)	Not Available	Not Available	Not Available
Alkoxylated alcohol - (Proprietary)	Not Available	Not Available	Not Available
Tetrasodium EDTA - (64-02-8)	486.00, Lepomis macrochirus	610.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	DOT/TDG (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. Proper shipping name	Liquid Cleaning Compound	Liquid Cleaning Compound	Liquid Cleaning Compound
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable

# Safety Data Sheet

## BIO-DET 750

SDS Revision Date:

07/12/2022



DOT Label: ---

### 14.4. Packing group

Not Applicable

Not Applicable

Not Applicable

### 14.5. Environmental hazards

#### IMDG

Marine Pollutant: No

### 14.6. Special precautions for user

No further information

## 15. Regulatory information

### Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

### Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

### WHMIS Classification

D2B E

### US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): No

### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### N.J. RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Penn RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# Safety Data Sheet

## BIO-DET 750



SDS Revision Date:

07/12/2022

### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

**Revision Date: 07/12/2022 Supersedes: 01/23/2015 Reason: Review and Update**

**Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.**

The information and recommendations contained herein are, to the best of Pharmacal's knowledge and belief, accurate and reliable as of the date issued. Pharmacal does not warrant or guarantee their accuracy or reliability, and Pharmacal shall not be liable for any loss or damage arising out of their use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.

The hazardous materials identification system (HMIS) and national fire protection association ratings have been included by Pharmacal research laboratories INC. In order to provide additional health and hazard information. The ratings recommended are based upon criteria supplied by the developers of these rating systems, together with Pharmacal's interpretation of the available data.

End of Document