

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

1. Identification

1.1. Product identifier

Product Identity OXY-AQUA

Alternate Names OXY-AQUA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Washing of aquatic housing components.

1.3. Details of the supplier of the safety data sheet

Company Name Pharmacal Research Labs., Inc.
562 Captain Neville Dr.
Waterbury, CT 06705, USA

24 hour Emergency Telephone No.:

CHEMTREC (USA) (800) 424-9300

IN CANADA CALL CANUTEC (613) 996-6666

Customer Service: Pharmacal Research Labs., Inc. 203-755-4908, (800)-243-5350

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Oxidizing Liquids 1;H271	May cause fire or explosion; strong oxidiser
Acute Tox. 4;H302	May be harmful if swallowed. (Not adopted by US OSHA)
Skin Corr. 1A;H314	Causes severe skin burns and eye damage.
Eye Dam. 1;H318	Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

H271 May cause fire or explosion; strong oxidiser
H303 May be harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
P264 Wash thoroughly after handling.
P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.
P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P310 Immediately call a POISON CENTER or doctor / physician.
P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P363 Wash contaminated clothing before reuse.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Hydrogen Peroxide CAS Number: 0007722-84-1	34	Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 3; H271, H302 + H332, H314, H318, H402	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Do NOT induce vomiting. Rinse mouth with water. Do NOT give anything by mouth to an unconscious or convulsing person. Call a poison control center or doctor for treatment advice.

4.2. Most important symptoms and effects, both acute and delayed

Overview	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Eyes	Causes serious eye damage.
Skin	Causes severe skin burns and eye damage.

5. Fire-fighting measures

5.1. Extinguishing media

== Water. Do not use any other substance.

5.2. Special hazards arising from the substance or mixture

== In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire

5.3. Advice for fire-fighters

== Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if you can do it without risk. As in any fire, wear self-contained breathing apparatus and full protective gear.

== **Hazardous Combustion Products** On decomposition product releases oxygen which may intensify fire.

ERG Guide No. 140

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. (see section 8).

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Protective clothing and equipment must be worn. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

“EMPTY” CONTAINER WARNINGS: Do not reuse empty container. Triple rinse with water - dispose of in conformance with federal, state, and local regulations.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Containers should be stored in a cool, dry, well-ventilated area. Exercise due caution to prevent damage to or leakage from the container. Keep containers closed when not in use.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

Keep out of reach of children.

For professional use only.

Do not mix with any other chemicals unless compatibility has been established by the manufacturer.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

CAS No.	Ingredient	Source	Value
7722-84-1	Hydrogen peroxide	USA. (OSHA) - Table Z-1 Limits for Air Contaminants	1.000 ppm 1.400 mg/m ³
		ACGIH	Ceiling: 1.00 ppm
		NIOSH	1.000 ppm 1.400 mg/m ³
		Supplier	No Established Limit
		The value in mg/m ³ is approximate	

Carcinogen Data

CAS No.	Ingredient	Source	Value
7722-84-1	Hydrogen peroxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

Use NIOSH/MSHA approved respirator for mist, following manufacturer's recommendations when concentrations exceed permissible exposure limits.

Eyes

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin

Chemical resistant clothing such as rubber coveralls/apron and boots should be worn. Wear rubber gloves. Gloves must be resistant to corrosive materials. Nitrile or PVC gloves are suitable. Do not use cotton or leather gloves.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

See section 2 for further details. - [Prevention]:

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

9. Physical and chemical properties

Appearance	Clear colorless liquid
Odor	Odorless
Odor threshold	Not Measured
pH	No data available
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	Non Flammable
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	1.110
Solubility in Water	Soluble (@1 ATM and 25C)
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured

9.2. Other information

Physical property data is approximate of typical value and should not be used for precise design purposes.

10. Stability and reactivity

10.1. Reactivity

Reactive and oxidizing agent.

10.2. Chemical stability

Stable under normal conditions. Decomposes on heating. Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Contact with organic substances may cause fire or explosion. Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.

10.4. Conditions to avoid

Excessive heat; Contamination; Exposure to UV-rays; pH variations.

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

10.5. Incompatible materials

Combustible materials. Copper alloys, galvanized iron. Strong reducing agents. Heavy metals. Iron. Copper alloys. Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.

10.6. Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Hydrogen peroxide - (7722-84-1)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	4	May be harmful if swallowed. (Not adopted by US OSHA)
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1A	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

Harmful to aquatic life.

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Hydrogen peroxide - (7722-84-1)	No data available	No data available	No data available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13. Disposal considerations

13.1. Waste treatment methods

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN 2014	UN 2014	UN 2014
14.2. UN proper shipping name	Hydrogen Peroxide, Aqueous Solution with 34 percent hydrogen peroxide	Hydrogen Peroxide, Aqueous Solution with 34 percent hydrogen peroxide	UN2014, Hydrogen Peroxide, Aqueous Solution with 34 percent hydrogen peroxide, 5.1(8), PG II
14.3. Transport	DOT Hazard Class: 5.1 (8)	IMDG: 5.1	Air Class: 5.1 (8)

Safety Data Sheet

OXY-AQUA



SDS Revision Date:

11/26/2019

N.J. RTK Substances (>1%):

Hydrogen peroxide - (7722-84-1)

Penn RTK Substances (>1%):

Hydrogen peroxide - (7722-84-1)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

Ox. Liq. Oxidizing liquids

Skin Corr. Skin corrosion

Revision Date: 11/26/2019 Supersedes: 04/02/2015 Reason: Review and Update

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

The information and recommendations contained herein are, to the best of Pharmacal's knowledge and belief, accurate and reliable as of the date issued. Pharmacal does not warrant or guarantee their accuracy or reliability, and Pharmacal shall not be liable for any loss or damage arising out of their use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.

The hazardous materials identification system (HMIS) and national fire protection association ratings have been included by Pharmacal research laboratories INC. In order to provide additional health and hazard information. The ratings recommended are based upon criteria supplied by the developers of these rating systems, together with Pharmacal's interpretation of the available data.

End of Document