

# SAFETY DATA SHEET

## Virkon™ S



Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

### SECTION 1. IDENTIFICATION

Product name : Virkon™ S  
Product code : 00000000057818065  
EPA registration number : 39967-137

#### Manufacturer or supplier's details

Company : LANXESS Corporation  
Product Safety & Regulatory Affairs  
111 RIDC Park West Drive  
15275-1112 Pittsburgh, United States of America

Responsible Department : +1800LANXESS

Emergency telephone number : Chemtrec (800) 424-9300  
International (703) 527-3887  
Lanxess Emergency Phone (800) 410-3063

#### Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants  
Cleaning agent


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin irritation : Category 2  
Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : Causes skin irritation.  
Causes serious eye damage.

Precautionary statements : **Prevention:**  
Wash skin thoroughly after handling.  
Wear protective gloves/ eye protection/ face protection.

---

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

### Response:

IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
If skin irritation occurs: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8	>= 50 - < 70
sodium dodecylbenzenesulfonate	25155-30-0	>= 10 - < 20
malic acid	6915-15-7	>= 5 - < 10
sulphamidic acid	5329-14-6	>= 1 - < 5
potassium hydrogensulphate	7646-93-7	>= 1 - < 5
dipotassium peroxodisulphate	7727-21-1	>= 1 - < 5

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms appear.
- In case of skin contact : Wash off with soap and water.  
Continue to rinse for at least 20 minutes.  
Get medical attention if symptoms occur.  
Wash contaminated clothing before reuse.
- In case of eye contact : Get medical attention immediately.  
In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Chemical burns must be treated promptly by a physician.
- If swallowed : Rinse mouth with water.  
Do not induce vomiting unless directed to do by medical personnel.

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Get medical attention if symptoms occur.

### Most important symptoms and effects, both acute and delayed

- Symptoms : Eye: Causes irritation with symptoms of reddening, tearing, stinging, and swelling.  
Skin: Causes irritation with symptoms of reddening, itching, and swelling.
- Effects : Causes skin irritation.  
Causes serious eye damage.
- Notes to physician : Treat symptomatically.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
In case of fire, use water spray (fog), foam or dry chemical.
- Unsuitable extinguishing media : Do not use water jet.  
Carbon dioxide (CO<sub>2</sub>)
- Specific hazards during fire-fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.  
Water runoff from fire fighting may be corrosive.
- Hazardous combustion products : Sulphur oxides  
Metal oxides  
Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds  
Phosphorus oxides
- Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.  
No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Put on appropriate personal protection equipment.  
Do not touch or walk through spilled material.  
Evacuate personnel to safe areas.
-

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

- Keep unnecessary and unprotected personnel from entering.  
Provide adequate ventilation.  
Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Move containers from spill area.  
Keep people away from and upwind of spill/leak.  
Avoid dust formation.  
Do not dry sweep.  
Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container.  
Dispose of wastes in an approved waste disposal facility.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.  
Workers should wash hands and face before eating, drinking and smoking.  
Put on appropriate personal protection equipment.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.  
Avoid inhalation, ingestion and contact with skin and eyes.  
Use only with adequate ventilation.  
In case of insufficient ventilation, wear suitable respiratory equipment.
- Conditions for safe storage : Protect from moisture.  
Store in accordance with local regulations.  
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.  
Keep containers sealed until ready for use.  
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.  
Do not store in unlabeled containers.  
Use appropriate container to avoid environmental contamination.  
Empty containers retain residue and can be dangerous.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of)	Control parameters / Permissible	Basis
------------	---------	----------------------	----------------------------------	-------

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

		exposure)	concentration	
dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH

**Engineering measures** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Personal protective equipment

**Respiratory protection** : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. The following respirator is recommended if airborne concentrations exceed the appropriate standard/guideline. NIOSH approved, air-purifying particulate respirator with N-95 filters.

**Hand protection**  
Material : Butyl rubber - IIR  
Wearing time : < 60 min

**Eye protection** : Safety glasses with side-shields  
If inhalation hazards exist, a full-face respirator may be required instead.

**Skin and body protection** : Wear suitable protective clothing.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES


**Appearance** : powder

**Colour** : yellow

**Odour** : pleasant, sweet

**Odour Threshold** : No data available

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

pH : 2.2 - 2.7  
Concentration: 1 %

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : 65 g/l

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : > 122 °F / > 50 °C

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Exposure to moisture

Incompatible materials : Strong bases  
Combustible material  
Acids  
Oxidizing agents  
brass  
Copper  
Halogenated compounds  
Cyanides  
Heavy metal salts

Hazardous decomposition products : Oxygen  
Chlorine  
Sulphur oxides  
Hypochlorites

---

### SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

#### Information on likely routes of exposure

Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat, male and female): 4,123 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): 3.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.

Acute dermal toxicity : LD50 (Rat, male and female): 2,200 mg/kg

---

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Remarks: Extrapolation according to Regulation (EC) No. 440/2008

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

- Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg  
Method: OECD Test Guideline 423
- Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest producible concentration.
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

#### **sodium dodecylbenzenesulfonate:**

- Acute oral toxicity : LD50 (Rat): 438 mg/kg

#### **malic acid:**

- Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg  
Method: OECD Test Guideline 401  
GLP: no
- Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Highest producible concentration.
- Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

#### **sulphamidic acid:**

- Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal



# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

toxicity

### **potassium hydrogensulphate:**

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

### **dipotassium peroxodisulphate:**

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

### **Skin corrosion/irritation**

Causes skin irritation.

### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Causes burns.

#### **sodium dodecylbenzenesulfonate:**

Assessment : Irritating to skin.

#### **malic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **sulphamidic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

#### **potassium hydrogensulphate:**

Assessment : Causes burns.

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

### **dipotassium peroxodisulphate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Product:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

#### **sodium dodecylbenzenesulfonate:**

Assessment : Risk of serious damage to eyes.

#### **malic acid:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : OECD Test Guideline 405

#### **sulphamidic acid:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : OECD Test Guideline 405

#### **dipotassium peroxodisulphate:**

Result : Irritating to eyes.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Result : Did not cause sensitisation on laboratory animals.  
Exposure routes : Inhalation  
Species : Mammal - species unspecified  
Method : Expert judgement  
Result : Does not cause respiratory sensitisation.

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **malic acid:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

#### **sulphamidic acid:**

Result : Did not cause sensitisation on laboratory animals.

#### **dipotassium peroxodisulphate:**

Exposure routes : Inhalation  
Species : Mammal - species unspecified  
Result : May cause sensitisation by inhalation.

Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Genotoxicity in vitro : Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive  
GLP: yes

Test system: Bacteria

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
GLP: yes

Genotoxicity in vivo : Species: Mammalian-Animal  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### malic acid:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test system: Bacteria  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

### dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### Carcinogenicity

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

**NTP**                      No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Effects on foetal development                      :    Remarks: No teratogenic or fetotoxic effects were found at all dose levels tested.

##### **malic acid:**

Effects on foetal development                      :    Remarks: No known significant effects or critical hazards.

### **STOT - single exposure**

Not classified based on available information.

#### **Components:**

##### **potassium hydrogensulphate:**

Assessment    :    May cause respiratory irritation.

##### **dipotassium peroxodisulphate:**

Assessment    :    May cause respiratory irritation.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species    :    Rat, male and female  
LOAEL    :    > 1,000 mg/kg  
Application Route                                  :    Oral  
Exposure time                                        :    28 d  
Number of exposures                               :    7 days/week  
Method     :    OECD Test Guideline 407  
Remarks     :    Subacute toxicity

Species    :    Rat, male and female  
LOAEL    :    600 mg/kg  
Application Route                                  :    Oral  
Exposure time                                        :    90 d  
Number of exposures                               :    7 days/week

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Method : OECD Test Guideline 408  
Remarks : Subchronic toxicity

### **sodium dodecylbenzenesulfonate:**

Species : Rat  
NOAEL : 220 mg/kg  
Application Route : Oral  
Dose : 220 mg/kg  
Remarks : Chronic toxicity

### **malic acid:**

Remarks : No known significant effects or critical hazards.

### **Aspiration toxicity**

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

### **sodium dodecylbenzenesulfonate:**

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 3.1 mg/l  
Exposure time: 3 Days

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4 mg/l  
Exposure time: 7 Days

### **malic acid:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (algae): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

### **sulphamidic acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: no  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

GLP: yes  
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): >= 60 mg/l  
Exposure time: 34 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 19 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 200 mg/l  
End point: Respiration inhibition  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: Fresh water

### **dipotassium peroxodisulphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### **Persistence and degradability**

#### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **malic acid:**



# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

---

Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 67.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### **sulphamidic acid:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

### **dipotassium peroxodisulphate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Partition coefficient: n-octanol/water : log Pow: < 0.3  
Method: OECD Test Guideline 117

#### **sodium dodecylbenzenesulfonate:**

Bioaccumulation : Bioconcentration factor (BCF): 220

Partition coefficient: n-octanol/water : log Pow: 0.45

#### **malic acid:**

Partition coefficient: n-octanol/water : log Pow: -1.26

#### **sulphamidic acid:**

Partition coefficient: n-octanol/water : log Pow: -4.34

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.  
This material and its container must be disposed of in a safe way.  
Empty containers retain product residue; observe all precautions for product.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.  
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(SODIUM DODECYLBENZENESULFONATE)  
Class : 9  
Packing group : III  
Labels : 9



ERG Code : 171  
RQ : 7,192.43 lb  
Marine pollutant : no

# SAFETY DATA SHEET



## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

When in individual containers of less than the Product RQ, this material ships as non-regulated.  
Hazard and Handling Notes. : Risk of serious damage to eyes, Keep dry., Keep separated from foodstuffs

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium dodecylbenzenesulfonate	25155-30-0	1000	7192

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Massachusetts Right To Know

sodium dodecylbenzenesulfonate      25155-30-0      >= 10 - < 20

#### Pennsylvania Right To Know

pentapotassium bis(peroxymonosulphate)      70693-62-8      >= 50 - < 70  
bis(sulphate)  
Polyphosphoric acids, sodium salts      68915-31-1      >= 10 - < 20  
sodium dodecylbenzenesulfonate      25155-30-0      >= 10 - < 20  
malic acid      6915-15-7      >= 5 - < 10  
sulphamidic acid      5329-14-6      >= 1 - < 5  
dipotassium peroxodisulphate      7727-21-1      >= 1 - < 5

### California Prop. 65

WARNING: This product can expose you to chemicals including tetrasodium hexacyanoferrate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### TSCA inventory

TSCA : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

# SAFETY DATA SHEET

## Virkon™ S

Version 1.0      Revision Date: 09/29/2020      SDS Number: 203000008922      Date of last issue: -  
Country / Language: US / EN

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### FIFRA information

EPA registration number : 39967-137

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:


Signal word : DANGER

Hazard statements : Harmful if swallowed or absorbed through skin.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the Ger-

# SAFETY DATA SHEET



## Virkon™ S

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/29/2020	203000008922	Country / Language: US / EN

---

man Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/29/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.