# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

#### **SECTION 1. IDENTIFICATION**

Product name : VIRKON™ S

Product code : 00000000057804863

EPA registration number : 39967-137

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

15275-1112 Pittsburgh, United States of America

Responsible Department : +1800LANXESS

Emergency telephone number : Chemtrec (800) 424-9300

International (703) 527-3887

Lanxess Emergency Phone (800) 410-3063

Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants

Cleaning agent

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR

1910.1200).

Skin irritation : Category 2

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :

TE

Signal word : Danger

Hazard statements : Causes skin irritation.

Causes serious eye damage.

Precautionary statements : Prevention:

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

### Response:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
pentapotassium	70693-62-8	>= 30 - < 50
bis(peroxymonosulphate)		
bis(sulphate)		
malic acid	6915-15-7	>= 20 - < 30
sulphamidic acid	5329-14-6	>= 5 - < 10
sodium dodecylbenzenesulfonate	25155-30-0	>= 1 - < 5
potassium hydrogensulphate	7646-93-7	>= 1 - < 5
dipotassium peroxodisulphate	7727-21-1	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms appear.

In case of skin contact : Wash off with soap and water.

Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

In case of eye contact : Get medical attention immediately.

In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated

and that the eye is being irrigated.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Chemical burns must be treated promptly by a physician.

If swallowed : Rinse mouth with water.

2/22

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

Do not induce vomiting unless directed to do by medical per-

sonnel.

Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Causes irritation with symptoms of reddening, tearing,

stinging, and swelling.

Skin: Causes irritation with symptoms of reddening, itching,

and swelling.

Effects : Causes skin irritation.

Causes serious eye damage.

Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing

media

Do not use water jet.

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Toxic and irritating gases/fumes may be given off during burn-

ing or thermal decomposition.

Water runoff from fire fighting may be corrosive.

Hazardous combustion prod-

ucts

Carbon dioxide (CO2)

Carbon monoxide Sulphur oxides Metal oxides

Nitrogen oxides (NOx) Halogenated compounds Phosphorus oxides

Sulphur oxides Metal oxides

Carbon dioxide (CO2)
Carbon monoxide
Nitrogen oxides (NOx)
Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

# VIRKON™ S



Version 1.1

Revision Date: 09/30/2020

SDS Number: 203000008863 Date of last issue: 09/30/2020 Country / Language: US / EN

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment.

Do not touch or walk through spilled material.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Provide adequate ventilation.

Avoid breathing dust.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Move containers from spill area.

Keep people away from and upwind of spill/leak.

Avoid dust formation. Do not dry sweep.

Vacuum dust with equipment fitted with a HEPA filter and

place in a closed, labeled waste container.

Dispose of wastes in an approved waste disposal facility.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Avoid inhalation, ingestion and contact with skin and eyes.

Use only with adequate ventilation.

Conditions for safe storage Store in accordance with local regulations.

> Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep container closed when not in use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

4/22

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

tion.

Empty containers retain residue and can be dangerous.

Do not reuse container.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH

**Engineering measures** : If user operations generate dust, fumes, gas, vapor or mist,

use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection

Material : Butyl rubber - IIR

Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Eye protection : Safety glasses with side-shields

If inhalation hazards exist, a full-face respirator may be re-

quired instead.

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

5/22

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

Appearance : tablet

Colour : yellow

Odour : odourless

Odour Threshold : No data available

pH : 2.5 - 3

Concentration: 10 %

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : < 0.0001 hPa (68 °F / 20 °C)

Relative density : No data available

Density : 1.35 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : 65 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

6/22

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

Explosive properties : No data available

Oxidizing properties : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Exposure to moisture

Incompatible materials : Incompatible with strong bases and oxidizing agents.

Incompatible with acids. Halogenated compounds Combustible substances

brass Copper Cyanides Metal salt.

Hazardous decomposition

products

Chlorine

Sulphur oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

The most important known symptoms and effects are described in Section 2 and/or Section 4.

# **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat, male and female): 4,123 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC0 (Rat, male and female): > 3.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by

the inhalation route.

7/22

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

Acute dermal toxicity : LD50 (Rat, male and female): 2,200 mg/kg

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

malic acid:

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

sulphamidic acid:

Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

sodium dodecylbenzenesulfonate:

Acute oral toxicity : LD50 (Rat): 438 mg/kg

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

malic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

sulphamidic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

sodium dodecylbenzenesulfonate:

Assessment : Irritating to skin.

potassium hydrogensulphate:

9/22

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

Assessment : Causes burns.

dipotassium peroxodisulphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Result : Risk of serious damage to eyes.

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit

Result : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

malic acid:

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

sulphamidic acid:

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

sodium dodecylbenzenesulfonate:

Assessment : Risk of serious damage to eyes.

dipotassium peroxodisulphate:

Result : Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Print Date: 08/20/2021

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

**Product:** 

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Exposure routes : Inhalation

Species : Mammal - species unspecified

Method : Expert judgement

Result : Does not cause respiratory sensitisation.

# **Components:**

### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

malic acid:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

sulphamidic acid:

Result : Did not cause sensitisation on laboratory animals.

## dipotassium peroxodisulphate:

Exposure routes : Inhalation

Species : Mammal - species unspecified

Result : May cause sensitisation by inhalation.

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Genotoxicity in vitro : Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

11 / 22

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

Result: positive GLP: yes

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive GLP: yes

Genotoxicity in vivo : Species: Mammalian-Animal

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

malic acid:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative GLP: yes

Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

12 / 22

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### Components:

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on foetal develop: : Remarks: No teratogenic or fetotoxic effects were found at all

ment dose levels tested.

malic acid:

Effects on foetal develop: : Remarks: No known significant effects or critical hazards.

ment

### STOT - single exposure

Not classified based on available information.

## **Components:**

#### potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

# dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

# STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

# **Components:**

### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female

LOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 407

Remarks : Subacute toxicity

Species : Rat, male and female

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 408

Remarks : Subchronic toxicity

malic acid:

Remarks : No known significant effects or critical hazards.

sodium dodecylbenzenesulfonate:

Species : Rat
NOAEL : 220 mg/kg
Application Route : Oral
Dose : 220 mg/kg
Remarks : Chronic toxicity

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

#### Components:

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

# VIRKON™ S



Version **Revision Date:** SDS Number: Date of last issue: 09/30/2020 09/30/2020 203000008863 Country / Language: US / EN 1.1

Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: ves

Remarks: Fresh water

malic acid:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 240 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EC50 (algae): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

NOEC (algae): 100 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

sulphamidic acid:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: no

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 71.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l

End point: Growth rate Exposure time: 72 h

Print Date: 08/20/2021

# VIRKON™ S



Version **Revision Date:** SDS Number: Date of last issue: 09/30/2020 09/30/2020 203000008863 Country / Language: US / EN 1.1

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): >= 60 mg/l

Exposure time: 34 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 19 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: > 200 mg/l

End point: Respiration inhibition

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: ves

Remarks: Fresh water

sodium dodecylbenzenesulfonate:

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus kisutch (coho salmon)): 3.1 mg/l

Exposure time: 3 Days

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 4 mg/l

Exposure time: 7 Days

dipotassium peroxodisulphate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

**Ecotoxicology Assessment** 

Chronic aquatic toxicity This product has no known ecotoxicological effects.

16 / 22

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

### Persistence and degradability

### **Components:**

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

malic acid:

Biodegradability : aerobic

Result: Readily biodegradable. Biodegradation: 67.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

sulphamidic acid:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

#### Bioaccumulative potential

#### **Components:**

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Partition coefficient: n- : log Pow: < 0.3

octanol/water Method: OECD Test Guideline 117

malic acid:

Partition coefficient: n-

: log Pow: -1.26

octanol/water

sulphamidic acid:

Partition coefficient: n- :

octanol/water

: log Pow: -4.34

### sodium dodecylbenzenesulfonate:

Bioaccumulation : Bioconcentration factor (BCF): 220

Partition coefficient: n-

octanol/water

: log Pow: 0.45

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

Mobility in soil

No data available

Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

RCRA - Resource Conserva- : tion and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

#### **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

UN/ID/NA number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(SODIUM DODECYLBENZENESULFONATE)

Class : 9
Packing group : III
Labels : 9

# VIRKON™ S



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/30/2020

 1.1
 09/30/2020
 203000008863
 Country / Language: US / EN

ERG Code : 171

RQ : 21,166.71 lb

Marine pollutant : no

When in individual containers of less than the Product RQ, this material ships as non-regulated. Hazard and Handling Notes. : Risk of serious damage to eyes, Irritating to skin., Keep dry.,

Keep away from foodstuffs, acids and alkalis

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ   Calculated product	
		(lbs)	(lbs)
sodium dodecylbenzenesulfonate	25155-30-0	1000	21166

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

# Massachusetts Right To Know

sodium dodecylbenzenesulfonate	25155-30-0	>= 3 - < 5
dipotassium peroxodisulphate	7727-21-1	>= 1 - < 5

# **Massachusetts Right To Know**

sodium dodecylbenzenesulfonate 25155-30-0

## Pennsylvania Right To Know

pentapotassium bis(peroxymonosulphate)	70693-62-8	>= 30 - < 50
bis(sulphate)		
malic acid	6915-15-7	>= 20 - < 30
sodium hydrogencarbonate (Solution)	144-55-8	> 1
sulphamidic acid	5329-14-6	>= 5 - < 10

# VIRKON™ S



Version 1.1	Revision Date: 09/30/2020	SDS Number: 203000008863	Date of last issue: 09/30/2020 Country / Language: US / EN	
	Polyphosphoric acids, sodium salts sodium dodecylbenzenesulfonate dipotassium peroxodisulphate		68915-31-1 25155-30-0 7727-21-1	> 1 >= 3 - < 5 >= 1 - < 5
Pennsylvania Right To Know				
	pentapotassium bis(peroxymonosulphate) bis(sulphate) malic acid sodium hydrogencarbonate (Solution)		70693-62-8	
			6915-15-7	
			144-55-8	
	sulphamidic acid		5329-14-6	
	Polyphosphoric acids, sodium salts		68915-31-1	
sodium dodecylbenzenesulfonate		25155-30-0		
	potassium hydrogensulphate dipotassium peroxodisulphate sodium sulphate (Anhydrous)		7646-93-7	
			7727-21-1	
			7757-82-6	

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## TSCA inventory

TSCA : This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

## **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **FIFRA** information

EPA registration number : 39967-137

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal word : DANGER

Hazard statements : Powder is corrosive. Causes irreversible eye damage and skin

burns. Harmful if swallowed or absorbed through skin. Corrosive statement does not refer to 1% in-use solution. FIFRA

Registered Composition: Active Ingredients:

Potassium peroxymonosulfate (CAS# 10058-23-8) 21.41%

Sodium chloride (CAS# 7647-14-5) 1.5%

Other Ingredients 77.09%

Total: 100%"

# VIRKON™ S




Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# VIRKON™ S



Version Revision Date: SDS Number: Date of last issue: 09/30/2020 1.1 09/30/2020 203000008863 Country / Language: US / EN

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/30/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.